



IN THE CLAIMS::

1. (Previously presented) A compound of general formula



wherein  $R^1$  and  $R^2$  independently of each other for each X, denote  $C_{7-20}$ -alkyl, cycloalkyl or aryl or together with the carbon atom to which they are bonded



form

or a cycloalkyl or together with corresponding  $R^1$  or  $R^2$  on a different carbon atom X, form a cyclic structure

$R^3$  to  $R^8$ , independently of each other, denote a  $C_{1-10}$ -alkyl or a halogen,

X denotes carbon,

m denotes an integer of 4 to 7,

n denotes an integer of 1 to 30,

y is 0 or 1, and


q denotes numbers which are independent of each other, and represent an integer of 0 to 5.

2. (Previously presented) The compound according to Claim 1, wherein  $R^1$  or  $R^2$  on a carbon atom X, together with a  $R^1$  or  $R^2$  on a corresponding carbon atom X', form a cycloalkyl structure.

Mo-6742

-2-

3. (Previously presented) The compound according to Claim 1 having the following formula




wherein  $R^9$  and  $R^{10}$  independently of each other, denote hydrogen  $C_1$ - $C_4$ -alkyl or a halogen, and  $q$  denotes numbers which are independent of each other and represent an integer from 0 to 4.

4. (Previously presented) The compound according to Claim 1 wherein carbon contained in the cyclic structures is substituted by heteroatoms selected from the group consisting of -O-, -S-, -N- $R^1$ - and -P- $R^1$ -.

5. (Previously presented) The compound according to Claim 1, wherein  $R^3$  to  $R^8$  denote a  $C_1$  to  $C_8$  alkyl,  $X$  denotes carbon,  $m = 4$  or  $5$ ,  $n$  denotes an integer from 1 to 15,  $q$  denotes an integer from 0 to 5, and  $y = 1$ .


6. (Cancelled).

7. (Previously presented) The compound according to Claim 1 conforming to




wherein n denotes an integer of 1 to 30.

8. (Previously presented) The compound according to Claim 1 conforming to



wherein n denotes an integer of 1 to 30.

9. (Previously presented) The compound according to Claim 1 conforming to




wherein n denotes an integer of 1 to 30.

Mo-6742

-4-

10. (Previously presented) The compound according to Claim 1 conforming to



wherein n denotes an integer of 1 to 30.

11. (Currently amended) A thermoplastic composition containing at least one thermoplastic resin and the [[oligophosphate]] compound according to Claim 1.

12. (Previously presented) The thermoplastic composition according to Claim 11 wherein the thermoplastic resin is a member selected from the group consisting of polycarbonate, polyester carbonate, polyphenylene oxide, polyester, polyamide, polyester amide, vinyl (co)polymer and acrylic/buta-diene/styrene (ABS) copolymer.

13. (Previously presented) The thermoplastic composition according to Claim 11 comprising a polycarbonate, wherein, with respect to the weight of the composition, said composition contains up to 50 % by weight of a graft polymer comprising 5 to 95 % by weight of that polymer of at least one vinyl monomer grafted on 95 to 5 % by weight of at least one rubber as graft base having a glass transition temperature lower than about 10°C.

14. (Previously presented) The thermoplastic composition according to Claim 13 wherein the graft base is a member selected from the group consisting of diene-, EP(D)M-, acrylate- and silicone rubber.

15. (Previously presented) The thermoplastic composition according to Claim 13 wherein graft polymer is an emulsion- or bulk-polymerized ABS or mixtures thereof.
16. (Previously presented) The thermoplastic composition according to Claim 11 which further contains a fluorinated polyolefin.
17. (Previously presented) The thermoplastic composition according to Claim 11 which further contains a nano-scale inorganic material or talc .
18. (Previously presented) A molded article comprising the composition of Claim 11.